



## Constancy of Performance Certificate

LGAI Technological Center S.A. (APPLUS), Notified Body No. 0370, issues this certificate to:

### APPLICANT

Placed on the market under the name of

# Ahlsell Sverige AB

Årstaängsvägen 11 117 75 Stockholm

Produced in the manufacturing plant  
25/32300806

### PRODUCT

**Power, control and communication cables. Cables for general applications in construction works subject to reaction to fire requirements**

**Model:** 39LB2    **Classification:** B2ca-s1a,d0,a1    **Brand:** EUROLAN

### APPLICABLE REGULATION

## Construction Product Regulation (CPR)

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZZ of the standard:

**EN 50575:2014, EN 50575:2014/A1:2016**

Under **system 1+** for the performance set out in this certificate are applied and the factory production control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.

## No. 0370-CPR-7280

**Date issued:** 26/09/2025

**First issue date:** 04/10/2024

**Modification date:** 26/09/2025

**Follow-up date:** before 31/01/2026

The validity of this certificate remains valid as long as the harmonised standard, the construction product, the EVCP methods and the manufacturing conditions at the plant are not significantly modified, unless suspended or withdrawn by the notified product certification body.

This document is not valid without its technical annex; whose number coincides with that of the certificate.

**Xavier Ruiz Peña**  
Managing Director  
Conformity Assessment

**Applus+**  
certification

**LGAI Technological Center S.A. (APPLUS)**  
**Notified Body No. 0370**  
Campus UAB. Ronda de la Font del Carme s/n  
08193 Bellaterra, Barcelona (Spain)



Check the status  
of this certificate

# Certificate

## Technical Annex

Annex according to EN 50575:2014, EN 50575:2014/A1:2016

Power, control and communication cables. Cables for general applications in construction works subject to reaction to fire requirements.

Designation	Reaction to fire class
39LB2	B2ca - s1a, d0, a1

No. Fibers	No. Units	Outer diameter
0-144	6	10,8 mm
0-192	8	12,0 mm