

Uppgiftslämnaren reserverar sig för eventuella fel i produktinformationen eller felaktigt registrerade uppgifter och förbehåller sig rätten att korrigera och/eller komplettera produktinformation utan föregående avisering

1

GRUNDDATA

Varubeskrivning

EnstoNet Snabbkopplingar och kablage 3-pol HF skärmat

Övriga upplysningar

Kabeln som kontakterna sitter fast i är NOAC-E HFFR (Skickar den godkända bedömningen för den med resterande dokument) Nedan angivna vikt% är för kontakterna resterande vikt är kabeln. Viktspannet på kabeln är 169g-1553g.

Klassificeringar

ETIM >	-EC002587 -
BK04 >	-18303 - Elinstallationsmaterial
BSAB >	-SCC - SCC - INSTALLATIONSKABLAR
UNSPSC >	

Leverantörsuppgifter**Företagsnamn**

Legrand Sverige AB

Organisationsnummer

5560790445

Adress

Gustav III:s Boulevard 42, 16973 Solna

Hemsida

www.legrand.se

Miljökontaktperson**Namn**

Ann Klingström

Telefon

08-55630906

E-post

anna.klingstrom@legrand.com

2

HÅLLBARHETSARBETE

Företagets certifiering

- ISO 9001
- ISO 14001

All Legrand's employees are responsible for integrating sustainability considerations into our daily work. In order to be successful in this task, we apply a set of policies and principles for maintaining the high standards of our operations. We expect all of our employees to fulfil these commitments in their everyday work.

- Employee Code of Conduct
- Environmental policy
- Ethical principles
- Quality policy
- Safety and health policy
- United Nations Global Compact principles

Environmental Policy

At Ensto, we manufacture and market supplies for the distribution of electrical power and for building technology as well as enclosing solutions for demanding industrial environments. We are known for delivering products and solutions that are advanced, highly energy-efficient, reliable and with a long lifetime and a low lifecycle impact on environment.

We place sustainable development at the heart of our strategy for continual improvement and innovation. We concentrate our efforts in the areas that account for most of our environmental impact to more effectively enhance our overall performance; namely the use of raw materials, the consumption of electricity and the generation of non-recyclable waste.

We comply or exceed all legal and other regulatory requirements, ensuring that our daily work contributes to build a fair and environmentally sustainable society.

We integrate our environmental principles in our processes by establishing programs and guidance, and by training our employees about environmental matters and responsibilities.

We strive to continually improve our environmental performance by monitoring, auditing and reviewing the entire management system.

We openly share our environmental performance with all our stakeholders, and encourage them to collaborate and support our efforts. We expect our suppliers and partners to respect our environmental values when engaging in business activities.

Quality Policy

We are a private, international, electrical technology company of Finnish

origin. Our mission is to build a better society by improving energy efficiency and focusing on sustainable development. Our products and services are targeted for a long lifetime and a low lifecycle impact on environment. We work for customer satisfaction and focus on customer care. Our customers' needs lead us in finding right solutions to build added value to their business. In customer relationships we aim for long term partnerships. We develop our offering and processes encouraging creativity and in the spirit of continuous improvement, yet economically reasonably. To reach continuous improvement we set targets, measure the progress on regular basis and learn from the feedback. We follow Ensto values and policies and commit to follow respective legislation, regulations and other applicable requirements. We build our business on people and our values on a long-term basis. We continuously develop our competences and arrange regular training for the personnel. We develop our working environment and -circumstances in a way that the occupational physical and mental health problems will be prevented. Everyone is responsible on the quality of his/her work and is committed to our management system.

Safety and Health Policy

Sustainable development objectives aim to secure present and future generations' possibilities to live a good life. Ensto manufactures solutions that support sustainable development and we follow the quality of our product to assure the products are safe to use.

As a sustainable company Ensto is committed to responsible decision-making for environment, economy and people. This means that sustainable company is also safe and healthy for its own personnel. Ensto is committed to provide healthy and safe working environment for its employees. To fulfill this commitment Ensto has concrete actions and Ensto continuously develops safety at work.

TAKING CARE OF SAFETY

Ensto is committed to provide all necessary resources to enable a safe safety working environment. To prevent occupational accidents

Ensto follows local safety and health laws and regulations. Safety is evaluated in many various assessments according to the action plan of the occupational health care, production procedures and property maintenance. To emphasize the importance of safety at production the industrial safety delegates and supervisors are in a key role in making and implementing the action plan based on assessment findings and action suggestions. Ensto has also established additional safety practice which is included to the 5S standard and audit at Ensto Operation plants. Ensto CEO is responsible for the safety on Ensto group level.

Ensto provides needed safety trainings continuously for employees and keeps records on those. Ensto production sites have regular evacuation rehearsals for everyone working at the property. All employees and supervisors are required to pay attention to safety and identify possible risks at working environment.

TAKING CARE OF HEALTH

To prevent occupational diseases Ensto provides and organizes occupational health care services for its employees according to local requirements. Occupational health care services include physiotherapist's services to advice employees about ergonomics (especially postures and work movements) where possible. Ensto supports healthy and active lifestyle with activity clubs and events for personnel.

At Ensto a healthy working environment includes tolerance, courtesy, dignity and respect. To work as one these are fundamentals of our daily work behavior. Ensto Employee Code of Conduct outlines the proper practices and provides guidance to help employees recognize and deal with ethical issues for all Ensto Group Employees in their daily work concerning their responsibilities towards their country, the shareholders, the colleagues and the environment.

Ensto monitors safety and health locally and globally with chosen KPIs. Globally Ensto monitors accident frequency rate at production sites and number of sick days per year per employee on country level. We constantly develop our procedures to aim zero accidents at our work.

Kemisk produkt	Nej
Innehåller produkten elektronik	Nej
Omfattas varan av RoHS-direktivet	Ja
Varans vikt	0 kg

Vara / Delkomponenter

Koncentrationen har beräknats på komponentnivå

NOAC-E HFFR bvb 49333 - 92% av hela varan

Ingående material /komponenter	Vikt-% i komponent	CAS-nr (alt legering)	EG-nr (alt legering)	Vikt % i produkt	Kommentar
--------------------------------	--------------------	-----------------------	----------------------	------------------	-----------

N#C bvb 188242 - 8% av hela varan

Ingående material /komponenter	Vikt-% i komponent	CAS-nr (alt legering)	EG-nr (alt legering)	Vikt % i produkt	Kommentar
--------------------------------	--------------------	-----------------------	----------------------	------------------	-----------

Del av materialinnehållet som är deklarerat 0%

Särskilt farliga ämnen

Följande ämnen finns med på kandidatförteckningen i en koncentration och som överstiger 0,1 vikts-%:

Namn	CAS-nr	EG-nr	Vikt % i produkt
Bly	7439-92-1	231-100-4	<0,112%

Utgåva av kandidatförteckningen som har använts
2025-06-25

Nanomaterial

Innehåller produkten tillsatt nanomaterial, som är medvetet tillsatta för att uppnå en viss funktion?: Nej

Tillsatt högflourerade ämnen (PFAS)

Innehåller produkten tillsatt högflourerade ämnen (PFAS), som är aktivt tillsatta för att uppnå en specifik funktion?: Nej

Begränsningslistan

Innehåller varan/produkten, eller någon av dess delkomponenter, ämnen som gör att produkten inte uppfyller villkoren i Begränsningslistan (Reach Bilaga XVII)?: Nej

POPs-förordningen

Innehåller varan (eller någon av dess delkomponenter) ämnen som finns i POPs-förordningen?: Nej

Övrigt

Ämnen är redovisade ned till 0,1% viktprocent enligt iBVDs redovisningskrav. Eventuell avvikelse från redovisningskraven redovisas nedan

Kompletterande information

N#C (bvb id 188242) ingår i denna produkt. Utgör 8% av denna produkt. Detta är en snabbkoppling, kontakt (N#C, Legrand), och sladd (från annan leverantör)

4

RÅVAROR

Återvunnet material

Innehåller varan återvunnet material: Nej

Träråvara

Träråvara ingår i varan: Nej

5

MILJÖPÅVERKAN

Finns en miljövarudeklaration framtagen enligt EN15804 eller ISO14025 för varan

Nej

Finns annan miljövarudeklaration

Ej angivet

Om miljövarudeklaration eller annan livscykelanalys saknas, beskriv hur miljöpåverkan av varan beaktas ur ett livscykelperspektiv

Low Voltage Directive (LVD) 2006/95/EC

RoHS Directive 2011/65/EC

6

DISTRIBUTION

Beskrivning av emballagehantering för distribution av varan

Varan placeras i återvinningsbar kartong och distribueras ut till grossistens lager.

7

BYGGSCKEDET

Ställer varan särskilda krav vid lagring?

Nej

Ställer varan särskilda krav på omgivande byggvaror?

Nej

8

BRUKSSKEDET

Finns skötselanvisningar/skötselråd? Nej

Finns en energimärkning enligt energimärkningsdirektivet (2017/1369/EU) för varan? Nej

9

RIVNING

Kräver varan särskilda åtgärder för skydd av hälsa och miljö vid rivning/demontering? Nej

10

AVFALLSHANTERING

Omfattas den levererade varan av förordningen (2014:1075) om producentansvar för elektriska och elektroniska produkter när den blir avfall? Nej

Är återanvändning möjlig för hela eller delar av varan? Ja

Är materialåtervinning möjlig för hela eller delar av varan? Ja

Plast och delar från förgreningsdon kan återanvändas.

Är energiåtervinning möjlig för hela eller delar av varan? Ja

Plastdelar kan bli energiåtervinning.

Har leverantören restriktioner och rekommendationer för återanvändning, material- eller energiåtervinning eller deponering? Nej

När den levererade varan blir avfall, klassas den då som farligt avfall? Nej

Avfallskod (EWC) för den levererade varan Ej angivet

E-numm er	Leverantö rens artikelnu mmer	GTIN
12 707 64	NAL310W2 5025B	6418677720468
12 707 65	NAL310W2 5040B	6418677718991
12 707 70	NAL330W1 5010B	6418677720420
12 707 71	NAL330W1 5020B	6418677711633
12 707 72	NAL330W1 5030B	6418677711640
12 707 73	NAL330W1 5040B	6418677718908
12 707 74	NAL330W1 5080B	6418677711671
12 707 75	NAL330W2 5010B	6418677720451
12 707 76	NAL330W2 5020B	6418677711732
12 707 77	NAL330W2 5030B	6418677711749
12 707 78	NAL330W2 5040B	6418677711756
12 707 79	NAL330W2 5080B	6418677711787
12 707 90	NBL310W1 5040S	6418677720499
12 708 53	NAL130W1 5030	6418677718656
12 708 54	NAL130W1 5050	6418677718670
12 708 55	NAL130W1 5060	6418677718687
12 708 56	NAL130W1 5080	6418677680410
12 708 57	NAL130W2 5030	6418677718755
12 708 58	NAL130W2 5050	6418677718779
12 708 59	NAL130W2 5060	6418677718786
12 708 71	NAL310W1 5005	6418677720239
12 708 72	NAL310W1 5020	6418677706936
12 708 73	NAL310W1 5030	6418677706943
12 708 74	NAL310W1 5050	6418677706950
12 708	NAL310W1	6418677718649

75	5060	
12 708 76	NAL310W1 5080	6418677720277
12 708 77	NAL310W2 5025	6418677655708
12 708 78	NAL310W2 5030	6418677718700
12 708 79	NAL310W2 5050	6418677718724
12 708 80	NAL310W2 5060	6418677718731
12 708 81	NAL330W1 5050	6418677707148
12 708 82	NAL330W1 5060	6418677707155
12 708 83	NAL330W1 5100	6418677707193
12 707 63	NAL310W2 5010B	6418677720628
12 707 62	NAL310W1 5040B	6418677718915
12 707 61	NAL310W1 5025B	6418677720444
12 707 60	NAL310W1 5010B	6418677720437
12 707 39	NAL330W2 5080	6418677707247
12 707 38	NAL330W2 5040	6418677711572
12 707 37	NAL330W2 5030	6418677707216
12 707 36	NAL330W2 5020	6418677707209
12 707 35	NAL330W2 5010	6418677720291
12 707 34	NAL330W1 5080	6418677707179
12 707 33	NAL330W1 5040	6418677711565
12 707 32	NAL330W1 5030	6418677707124
12 707 31	NAL330W1 5020	6418677707117
12 707 30	NAL330W1 5010	6418677720222
12 707 25	NAL310W2 5040	6418677718717
12 707 24	NAL310W2 5020	6418677718694
12 707 23	NAL310W2 5010	6418677720307
12 707 22	NAL310W1 5040	6418677720260
12 707 21	NAL310W1 5025	6418677720253
12 707 20	NAL310W1 5010	6418677720246

12 707 03	NAL130W2 5040	6418677718762
12 707 02	NAL130W2 5020	6418677718748
12 707 01	NAL130W1 5040	6418677718663
12 707 00	NAL130W1 5020	6418677720284
12 708 84	NAL330W2 5050	6418677707223
12 708 85	NAL330W2 5060	6418677707230
12 708 86	NAL330W2 5070	6418677724336
12 708 87	NAL330W2 5100	6418677707254
12 709 06	NAL130W1 5020B	6418677711725
12 709 07	NAL130W1 5030B	6418677718939
12 709 08	NAL130W1 5040B	6418677718946
12 709 09	NAL130W1 5050B	6418677718953
12 709 10	NAL130W1 5060B	6418677718960
12 709 11	NAL130W2 5020B	6418677719028
12 709 12	NAL130W2 5030B	6418677719035
12 709 13	NAL130W2 5040B	6418677719042
12 709 14	NAL130W2 5050B	6418677719059
12 709 15	NAL130W2 5060B	6418677719066
12 709 27	NAL310W1 5020B	6418677711695
12 709 28	NAL310W1 5030B	6418677711701
12 709 29	NAL310W1 5050B	6418677711718
12 709 30	NAL310W1 5060B	6418677718922
12 709 31	NAL310W2 5020B	6418677718977
12 709 32	NAL310W2 5030B	6418677718984
12 709 33	NAL310W2 5050B	6418677719004
12 709 34	NAL310W2 5060B	6418677719011
12 709 35	NAL330W1 5050B	6418677711657
12 709 36	NAL330W1 5060B	6418677711664
12 709	NAL330W1	6418677711688

37	5100B	
12 709 38	NAL330W2 5050B	6418677711763
12 709 39	NAL330W2 5060B	6418677711770
12 709 40	NAL330W2 5070B	6418677724343
12 709 41	NAL330W2 5100B	6418677711794
12 710 13	NAL130W1 5010	6418677682018
	NAL310W1 5070	
	NAL310W1 5090	
	NAL310W1 5100	
	NAL310W2 5070	
	NAL310W2 5080	
	NAL310W2 5090	
	NAL310W2 5100	
		6418677682018 6418677720284 6418677718656 6418677718663 6418677718670 6418677718687 6418677680410 6418677718748 6418677718755 6418677718762 6418677718779 6418677718786 6418677720239 6418677720246 6418677706936 6418677720253 6418677706943 6418677720260 6418677706950 6418677718649 6438100349417 6418677720277 6438100349424 6438100349431 6418677720307 6418677718694 6418677655708 6418677718700 6418677718717 6418677718724 6418677718731 6438100349448 6418677681486 6438100349455 6418677681493 6418677720222 6418677707117 6418677707124 6418677711565 6418677707148 6418677707155 6418677707179 6418677707193 6418677720291 6418677707209 6418677707216 6418677711572 6418677707223 6418677707230 6418677724336 6418677707247 6418677707254 6418677711725 6418677718939 6418677718946 6418677718953 6418677718960 6418677719028 6418677719035 6418677719042 6418677719059 6418677719066 6418677720437 6418677711695 6418677720444 6418677711701 6418677718915 6418677711718 6418677718922 6418677720628 6418677718977 6418677720468 6418677718984 6418677718991 6418677719004 6418677719011 6418677720420 6418677711633 6418677711640 6418677718908 6418677711657 6418677711664 6418677711671 6418677711688 6418677720451 6418677711732 6418677711749 6418677711756 6418677711763 6418677711770 6418677724343 6418677711787 6418677711794 6418677720499

Produktdatablad

PrestandadeklARATION

Säkerhetsblad

RoHS-intyg

MiljövarudeklARATION

Skötselanvisning

Övriga bifogade dokument
