



# NETBOX Turn Comfort



## Built-in Socket NETBOX Turn Comfort

The **NETBOX Turn Comfort** opens at the touch of a button by means of a rotary mechanism. When open, the connections are easily accessible - when closed, the work surface appears tidy and elegant.

The **NETBOX Turn Comfort** is mainly used in offices and conference rooms. Several users can access the connections from opposite sides.

The **NETBOX Turn Comfort** can be integrated into the work surface from a panel thickness of 10 mm and is available in variable lengths.

### Colours



sil **bk** \* wh \*

Housing

**bk** wh

Module unit

### Mounting



Latching mechanism

Panel thickness: 10-70 mm

### Material



Housing:  
Aluminium / Plastic

Module unit: Plastic

### Application



Office



Hotel & Lounge



Conference

### Approvals | Certificates



### Suitable accessories



Starter cable



Cable snake®




Velcro fabric tube




All available  
Videos

## Dimensions



Art.No.	2J 3	2J 4	2J 5	2J 6	2J 7	2J 8	2J 9	2J A	2J B	
M	2	3	4	5	6	7	8	9	10	= Product code
A	214.6	267.6	320.6	373.6	426.6	479.6	532.6	585.6	638.6	= Quantity of outlet modules
B	228.5	281.5	334.5	387.5	440.5	493.5	546.5	599.5	652.5	= Total length
C	206.6	259.6	312.6	365.6	418.6	471.6	524.6	577.6	630.6	= Total length with mount
E	207	260	313	366	419	472	525	578	631	= Installation length
F										= Length of cut out
										= Width of cut out

## Further information



3D data (STP) \*




Dimensions (PDF) \*



NETBOX Turn Comfort



Product request



pCon.update

## Overview

	Aluminium	Plastic	Number of modules	Power modules	Data modules	Gender changer	Cover lockable	USB-charger	Cat 7-capable	Power forwarding possible (1) u. (2)
NETBOX Axial Comfort	●		2 - 6	●	●	●	●	●	●	● <sup>(2)</sup>
NETBOX Combi II	●		4	●	●	●	●	●	●	● <sup>(1)</sup>
NETBOX Entry	Steel		4 o. 6	●	●	●	●	●	●	
NETBOX MEB		●	2 - 4	●	●	●		●	●	●
NETBOX Spot		●	1	●	Spot Data	Spot Data		●		
NETBOX Style	●		2 - 6	●	●	●		●	●	●
NETBOX Turn Comfort	●		2 - 6	●	●		●	●	●	● <sup>(2)</sup>

(1) Power forwarding is only possible if NO gender changer, USB, VGA, network or HDMI cables are fitted.

(2) Power forwarding is only possible if NO gender changer, USB or HDMI cables are fitted.

A. & H. MEYER GmbH  
Leuchten und Büroelektrik  
Fermke 8  
32694 Dörentrup  
Germany

tel: +49 5265 9488-0  
fax: +49 5265 9488-11  
info@ah-meyer.de

\* on request



Follow us: